

ARKAS Line Operation Department	Issue 9	F/45/28.06.2021
--	----------------	------------------------

ARKAS Line Prohibited & Restricted Dangerous Goods List

P: Prohibited / R : Restricted

Class	UN	Proper Shipping Name	
1	ALL	EXPLOSIVES	P
2,1	1057	LIGHTERS or LIGHTER REFILLS containing flammable gas	P
	1972	METHANE, REFRIGERATED LIQUID or NATURAL GAS, REFRIGERATED LIQUID with high methane content	P
	2203	SILANE	P
	3374	ACETYLENE, SOLVENT FREE	P
2,2	2455	METHYL NITRITE	P
2,3	ALL	TOXIC GASES	P
3	1131	CARBON DISULPHIDE	P
	1164	DIMETHYL SULPHIDE	P
	1167	DIVINYL ETHER, STABILIZED	P
	1194	ETHYL NITRITE SOLUTION	P
	1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT	P
	1203	MOTOR SPIRIT or GASOLINE or PETROL	P
	1265	PENTANES, liquid	P
	1267	PETROLEUM CRUDE OIL	P

1308	ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	P
2363	ETHYL MERCAPTAN	P
3379	DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	P
3475	ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	P
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	P

4,1	1310	AMMONIUM PICRATE, WETTED with not less than 10% water, by mass	P
	1320	DINITROPHENOL, WETTED with not less than 15% water, by mass	P
	1321	DINITROPHENOLATES, WETTED with not less than 15% water, by mass	P
	1322	DINITRORESORCINOL, WETTED with not less than 15% water, by mass	P
	1336	NITROGUANIDINE (PICRITE), WETTED with not less than 20% water, by mass	P
	1337	NITROSTARCH, WETTED with not less than 20% water, by mass	P
	1339	PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus	P
	1344	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 30% water, by mass	P
	1347	SILVER PICRATE, WETTED with not less than 30% water, by mass	P
	1348	SODIUM DINITRO-ortho-CRESOLATE, WETTED with not less than 15% water, by mass	P
	1349	SODIUM PICRAMATE, WETTED with not less than 20% water, by mass	P
1354	TRINITROBENZENE, WETTED with not less than 30% water, by mass	P	

1355	TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass	P
1356	TRINITROTOLUENE (TNT), WETTED with not less than 30% water, by mass	P
1357	UREA NITRATE, WETTED with not less than 20% water, by mass	P
1517	ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass	P
1571	BARIUM AZIDE, WETTED with not less than 50% water, by mass	P
2304	NAPHTHALENE, MOLTEN	P
2555	NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	P
2556	NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	P
2557	NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT	P
2852	DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	P
2907	ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch, or calcium hydrogen phosphate	P
2956	5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE(MUSK XYLENE)	P
3097	FLAMMABLE SOLID, OXIDIZING, N.O.S.	P
3221	Self-Reactive Liquid Type B	P
3222	Self-Reactive Solid Type B	P
3223	Self-Reactive Liquid Type C	P
3224	Self-Reactive Solid Type C	P
3225	Self-Reactive Liquid Type D	P

4,1	3226	Self-Reactive Solid Type D	P
	3227	Self-Reactive Liquid Type E	P
	3228	Self-Reactive Solid Type E	P
	3229	Self-Reactive Liquid Type F	P
	3230	Self-Reactive Solid Type F	P
	3231	Self-Reactive Liquid Type B, Temperature Controlled	P
	3232	Self-Reactive Solid Type B, Temperature Controlled	P
	3233	Self-Reactive Liquid Type C, Temperature Controlled	P

3234	Self-Reactive Solid Type C, Temperature Controlled	P
3235	Self-Reactive Liquid Type D, Temperature Controlled	P
3236	Self-Reactive Solid Type D, Temperature Controlled	P
3237	Self-Reactive Liquid Type E, Temperature Controlled	P
3238	Self-Reactive Solid Type E, Temperature Controlled	P
3239	Self-Reactive Liquid Type F, Temperature Controlled	P
3240	Self-Reactive Solid Type F, Temperature Controlled	P
3241	2-BROMO-2-NITROPROPANE-1,3-DIOL	P
3242	AZODICARBONAMIDE	P

3251	ISOSORBIDE-5-MONONITRATE	P
3317	2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water by mass	P
3319	NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	P
3344	PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	P
3364	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 10% water, by mass.	P
3365	TRINITROCHLOROBENZENE (PICRYL CHLORIDE), WETTED with not less than 10% water by mass	P
3366	TRINITROTOLUENE (TNT), WETTED with not less than 10% water, by mass	P
3367	TRINITROBENZENE, WETTED with not less than 10% water, by mass	P
3368	TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass	P
3369	SODIUM DINITRO- <i>o</i> -CRESOLATE, WETTED with not less than 10% water, by mass	P
3370	UREA NITRATE, WETTED with not less than 10% water, by mass	P
3376	4-NITROPHENYL HYDRAZINE with not less than 30% water, by mass	P
3380	DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	P
3474	1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	P

1361	CARBON animal or vegetable origin	P
1362	CARBON, ACTIVATED	P
1364	COTTON WASTE, OILY	P
1365	COTTON, WET	P

4,2

1372	FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp	P
1374	FISHMEAL, UNSTABILIZED (FISHSCRAP, UNSTABILIZED) High hazard. Unrestricted moisture content, Unrestricted fat content in excess of 12%, by mass; unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fishmeal or fishscrap	P
1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification	P
1387	WOOL WASTE, WET	P
1856	RAGS, OILY	P
1857	TEXTILE WASTE, WET	P
2447	PHOSPHORUS, WHITE, MOLTEN	P
2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS, or CUTTINGS in a form liable to self-heating	P
3088	SELF-HEATING SOLID, ORGANIC, N.O.S.	P
3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	P
3127	SELF-HEATING SOLID, OXIDIZING, N.O.S.	P
3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	P
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	P
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	P
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	P
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	P
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	P
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	P
3189	METAL POWDER, SELF-HEATING, N.O.S.	P

3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	P
3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	P
3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	P
3255	tert-BUTYL HYPOCHLORITE	P
3313	ORGANIC PIGMENTS, SELF-HEATING	P
3341	THIOUREA DIOXIDE (Thiourea D, Thiourea DE, Thiourea 98% SP on the MSDS)	P
3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	P
3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	P
3400	ORGANOMETALLIC SUBSTANCE, SOLID , SELF-HEATING	P

1242	METHYLDICHLOROSILANE	P
1295	TRICHLOROSILANE	P
1340	PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus	P
1409	METAL HYDRIDES, WATER-REACTIVE, N.O.S.	P
1415	LITHIUM	P
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	P
3129	Water-Reactive Liquid, Corrosive, N.O.S.	P
3130	Water-Reactive Liquid, Toxic, N.O.S.	P

3131	Water-Reactive Solid, Corrosive, N.O.S.	P
3132	Water-Reactive Solid, Flammable, N.O.S.	P
3133	Water-Reactive Solid, Oxidizing, N.O.S.	P

4,3

3134	Water-Reactive Solid, Toxic, N.O.S.	P
3135	Water-Reactive Solid, Self-Heating, N.O.S.	P
3148	WATER-REACTIVE LIQUID, N.O.S.	P
3208	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	P
3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	P
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	P
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	P
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	P
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	P
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	P
1504	SODIUM PEROXIDE	P

5,1	1512	ZINC AMMONIUM NITRITE	P
	1745	BROMINE PENTAFLUORIDE	P
	1746	BROMINE TRIFLUORIDE	P
	1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	P
	1942	AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	P
	2067	AMMONIUM NITRATE BASED FERTILIZER	P
	2208	CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	P
	2426	AMMONIUM NITRATE, LIQUID (hot concentrated solution)	P
	2495	IODINE PENTAFLUORIDE	P

5,1	2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	P
	3100	OXIDIZING SOLID, SELF-HEATING, N.O.S.	P
	3212	HYPOCHLORITES, INORGANIC, N.O.S.	P
	3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives	P
	3485	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	P
	3486	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	P

	3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	P
5,2	ALL	ORGANIC PEROXIDES	P
6,1	1613	HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	P
	1614	HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert mt.	P
	2016	AMMUNITION, TOXIC, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	P
	2017	AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	P
	3123	TOXIC LIQUID, WATER-REACTIVE, N.O.S.	P
	3124	TOXIC SOLID, SELF-HEATING, N.O.S.	P
	3125	TOXIC SOLID, WATER-REACTIVE, N.O.S.	P
	3172	TOXINS, EXTRACTED FROM LIVING SOURCES.LIQUID, N.O.S	P
	3315	CHEMICAL SAMPLE, TOXIC, LIQUID	P
	3491	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC50 lower than or equal to 1000 mL/m3 and saturated vapour concentration greater than or equal to 10 LC50	P
6,2	ALL	INFECTIOUS SUBSTANCES	P
7	ALL	RADIOACTIVE MATERIAL	P
8	1744	BROMINE or BROMINE SOLUTION	P
9	2071	AMMONIUM NITRATE BASED FERTILIZER	P
	2212	BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite, mysorite)	P
	2315	POLYCHLORINATED BIPHENYLS, LIQUID	P
	2590	WHITE ASBESTOS (chrysotile, actinolite, anthophylite, tremolite)	P
	2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE	P
	3151	POLYHALOGENATED BIPHEMYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	P
	3152	POLYHALOGENATED BIPHENYLS, SOLID or POLHALOGENATED TERPHENYLS, SOLID	P

3245	GENETICALLY MODIFIED MICROORGANISMS or GENETICALLY MODIFIED ORGANISMS	P
3432	POLYCHLORINATED BIPHENYLS, SOLID	P

OTHER PROHIBITIONS	ALL	Dangerous Goods in container as bulk.	P
	ALL	Goods require temperature controlled by IMDG Code.	P
	ALL	Hazardous materials in heated tank container.	P
	ALL	All Industrial Hazardous Waste Shipments and commodities covered by Basel Convention	P
	ALL	All substances with IMDG Code SP76/SP900/SP350/SP351/SP352/SP353.	P
		The items of the following substances shown in SP 900 of IMDG Code	
		AMMONIUM BROMATE	
		AMMONIUM BROMATE, SOLUTION	
		AMMONIUM CHLORATE	
		AMMONIUM CHLORATE, SOLUTION	
		AMMONIUM CHLORITE	
		AMMONIUM HYPOCHLORITE	
		AMMONIUM NITRATE liable to self-heating sufficient to initiate a decomposition	
		AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt	
	AMMONIUM PERMANGANATE		
	AMMONIUM PERMANGANATE, SOLUTION		
	CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid		
	ETHYL NITRITE pure		

	HYDROCYANIC ACID with more than 20% acid, by mass	
	HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with more than 20% hydrogen cyanide	
	HYDROGEN CHLORIDE, REFRIGERATED LIQUID	
	HYDROGEN CYANIDE SOLUTION IN ALCOHOL with more than 45% hydrogen cyanide	
	MERCURY OXYCYANIDE pure	
	METHYL NITRITE (2.2/2455)	
	PERCHLORIC ACID with more than 72% acid, by mass	
	SILVER PICRATE, dry or wetted with less than 30% water by mass	
	ZINC AMMONIUM NITRITE (5.1/1512)	
ALL	Calcium Hypochlorite	P
ALL	Class 2.1 , Class 2.2 and Class 5.1 cargoes are not accepted services crossing the Bosphorus Strait.	P
ALL	UN 1043, UN 2073, UN 1334, UN 2672 are not accepted in ARKAS containers.	P
ALL	DG in Flexitank.	P
ALL	Any of the mentioned items in this list as "Limited Quantity" and "Excepted Quantity".	P
ALL	Used batteries	P

OTHER PROHIBITIONS	ALL	Live Animals	P
		Animal Skin / Wet Leather	
		Military Cargo (Arms, Ammunition, etc.)	
		Hunting Equipment (Air rifles, Lead, Shell, Spring, etc.)	
		Metal Scrap	
		Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers (excl. Nail varnish remover)	
		Diluted Solvent	
		Oiling Product (i.e. Commodities containing petroleum oils or oils obtained from their fractions.)	

RESTRICTIONS

ALL	DG in ARKAS Reefer Equipment - Acceptance on a case to case basis.	R
ALL	Class 6.1 Packing Group I - Acceptance on a case to case basis.	R
1160	Not accepted if solution in water is more than 25%.	R
1300	Trade Department's approval is required.	R
1383	Survey report is required. Not acceptable in tank container.	R
1511	Survey report is required if not shipped in limited quantities.	R
1790	UN packing certificate is required.(PP81)	R
2014	Survey report is required if not shipped in limited quantities.	R
2015	Survey report is required if not shipped in limited quantities.	R
2031	UN packing certificate is required.(PP81)	R
2211	Only accepted in OT container.	R
2845	Survey report is required. Not acceptable in tank container.	R
2846	Survey report is required. Not acceptable in tank container.	R
2984	Survey report is required if not shipped in limited quantities.	R
3098	Survey report is required if not shipped in limited quantities.	R
3149	Survey report is required if not shipped in limited quantities.	R
3194	Survey report is required. Not acceptable in tank container.	R
3200	Survey report is required. Not acceptable in tank container.	R
ALL	<u>For the following commodities, POL agents should get confirmation from Arkas Line Trade Department</u>	R
	Cigarette	
	Tobacco	
	Alcohol	
	Alcoholic Beverages	
	Live Plants	
	Block Marble	

	Personal Goods	
ALL	Only Commodity Code / HS Code 4402 Wood charcoal (including shell or nut charcoal) is accepted.	R
ALL	Tank periodic survey report should be provided for DG tank container shipments.	